

असाधारण

**EXTRAORDINARY** 

भाग II — खण्ड 3 — उप-खण्ड (ii) PART II—Section 3—Sub-section (fi

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं. 366] No. 366]

नई दिल्ली, शनिवार, जून 2, 2001/ज्येष्ठ 12, 1923 NEW DELHI, SATURDAY, JUNE 2, 2001/JYAISTHA 12, 1923

पर्यावरण एवं वन मंत्रालय

(केन्द्रीय प्रतुषण नियंत्रण बोर्ड )

# अधिसूचना

नई दिल्ली, 1 जून, 2001

का.आ. 490 (अ).— पर्यावरण (संरक्षण)अधिनियम, 1986 (1986 का 29) की धारा 23 के अधीन जारी अधिसूचना सं. 145 (अ) दिनांक 21 फरवरी, 1991 के खण्ड 1 के साथ पठित धारा 12 की उप-धारा 1 के खण्ड (ख) और धारा 13 के अधीन प्रक्त शक्तियों का प्रयोग करते हुए केन्द्रीय प्रवृषण नियंत्रण बोर्ड एतदब्रारा (क) नीचे वी गई तालिका के स्तंभ (2) में विनिर्दिष्ट प्रयोगशालाओं को उक्त अधिनियम और इसके अंतर्गत बने नियमों के अधीन पर्यावरणीय प्रयोगशालाओं को सींपे गये कार्य करने हेतु पर्यावरणीय प्रयोगशालाओं के रूप में और (ख) तालिका के स्तम्भ (3) में विनिर्दिष्ट व्यक्तियों को विश्लेषण के लिए भेजे गए वायु, जल, मृदा एवं अन्य पदार्थों के स्तंभ (4) में दर्शाए गए पैरामीटर के संबंधित समूहों के लिए विनिर्विष्ट नमूनों का विश्लेषण करने हेतु सरकारी विश्लेषक के रूप में मान्यता देता है।

अधिसूचना सं. का.आ. 44(अ) दिनांक 15.01.2001 के क्रम संख्या 76 और इससे संबंधित प्रविष्टियों के पश्चात निम्नलिखित क्रम संख्याओं और प्रविष्टियों को जोड़ा जायेगा, नामतः

क्र.सं.	प्रयोगशाला का नाम	सरकारी विश्लेषक का नाम	मान्यता हेतु पैरामीटर समूह
1_	2	3	4
77.	रासायनिक प्रयोगशाला,पी डबल्यू डी हाइड्रोलोजी डिवीजन, पी ए पी कैम्पस, पोलाची-642003 तमिलनाडु राज्य भू-जल एवं सतही जल संसाधन आंकड़ा केन्द्र, बेन्नई, तमिलनाडु	श्रीमती वी. सिवाकनी, सहायक निदेशक (भू-रसायन शास्त्र)	भौतिक एसायन और सूक्ष्मजीय विज्ञानिक पैरामीटर

1	2	3	ч
78.	भू-रसायन प्रयोगशाला, पी डबल्यू डी भू-जल डियीजन, चेन्नई-600 010, तमिलनाडु राज्य भूजल एवं सत्तही जल ओकड़ा केन्द्र, चेन्नई, तमिलनाडु	श्री एम.नटराजन, तकनीकी विशेषज्ञ (भू-रसायन शास्त्र)	भौतिक रसायन और सूक्ष्मजीव विक्रानिक पैरामीटर
79.	भू-एसायन प्रयोगशाला, पी डबल्यू डी हाइड्रोलोजी डिवीजन, सर्किट हाउस रोड, मन्नापुरम, त्रिची- 620020, तमिलनाडु राज्य भूजल एवं सतही जल संसाधन आंकडा केन्द्र, चेन्नई, तमिलनाडु	श्री ए. आर. रहमान,सहायक निदेशक ( भू-रसायन शास्त्र)	भौतिक रसायन और सूक्ष्मजीव विज्ञानिक पैरामीटर
80.	भू-रसायन प्रयोगशाला, पी उबल्यू डी भू-जल डिवीजन, पी.डबल्यू डी कम्पाउण्ड, तल्लाकुलम,मदुरई 625002, तमिलनाडु राज्य भूजल एवं सतही जल संसाधन आंकड़ा केन्द्र, चेन्नई, तमिलनाडु	श्री पी. कादिरवेलु संहायक निदेशक (भू-रसायन शास्त्र)	भौतिक रसायन और सूक्ष्मजीव वि <b>ज्ञा</b> निक पैरामीटर

इस प्रकार उल्लिखित पर्यावरणीय प्रयोगशालाएँ तथा सरकारी विश्लेषक अधिसूचना जारी होने की तिथि से पांच वर्ष की अवधि के लिए वैध रहेंगे ।

> [विधि/42(3)/87] डी. के. विश्वास, अध्यक्ष

## पाद टिप्पणी :

मूल अधिसूचना भारत के राजपत्र में का.आ.728 (अ), दिनांक 21.07.1987 के द्वारा प्रकाशित की गई थी और इसके पश्चात उसमें निम्नलिखित के द्वारा संशोधन किए गए:-

(1) का.आ.838 (अ), दिनांक 23.9.87 (2) का.आ. 989 (अ) दिनांक 17.11.87 (3) का.आ. 489 (अ) दिनांक 17.5.88 (4) का.आ. 156 (अ) दिनांक 24.2.89 (5) का.आ. 846 (अ) दिनांक 21.10.89 (6) का.आ. 375 (अ) दिनांक 26.4.1990 (7) का.आ. 803 (अ) दिनांक 23.09.92 (8) का.आ. 97 (अ) दिनांक 5.12.1994 (9) का.आ. 418 (अ) दिनांक 31.3.1996 (10) का.आ. 889 (अ) दिनांक 31.8.1996 (11) का.आ. 452 (अ) दिनांक 31.5.97 (12) का.आ. 631 (अ) दिनांक 31.1998 (13) का.आ. (अ) 336 दिनांक 1.1.1999 (14) का.आ. 44 (अ) दिनांक 15.1.2001

### MINISTRY OF ENVIRONMENT & FORESTS

# (CENTRAL PULLUTION CONTROL BOARD)

#### NOTIFICATION

New Delhi, the 1st June, 2001

S.O. 490(E).—In exercise of the powers conferred by clause (b) of Sub-section1 of Section 12 and Section 13 read with clause1 of the Notification No. 145(E), dated 21<sup>st</sup> February, 1991, issued under Section 23 of the Environment (Protection) Act, 1986 (29 of 1986), the Central Pollution Control Board hereby recognizes, (a) the laboratories specified in column (2) of the Table below as environmental laboratories to carry out the functions entrusted to the environmental laboratories under the said Act, and the rules made there under, and (b) specified persons in column (3) of the Table as the Government Analysts for the purposes of analysis of samples of air, water, soil or other substances sent for analysis, specified for respective groups of parameters mentioned in Column(4).

After serial No.76 of the Notification No.S.O. No.44(E), dated 15.1.2001 and the entries relating thereto the following serial Nos. and entries shall be added namely:-

S.No	Name of Laboratory	Name of the Govt. analysts	Recognized for parameter groups
1.	2.	3.	4.
77.	Chemical Laboratory, PWD Hydrology, Division, PAP Campus, Pollachi — 642003 Tamil Nadu State Ground and Surface Water Resources Data Centre, Chennai, Tamil Nadu	Smt. V.Sivakani, Asstt. Director (Geo-chemistry	Physical chemical and microbiological parameters
78.	Geochemical Laboratory, PWD Ground Water Division, Chennai-600 010, Tamilnadu State Ground and Surface Water Resources Data Centre, Chennai, Tamilnadu	Shri M.Natarajan Technical Expert (Geo-chemistry)	Physical chemical and microbiological parameters
79.	Geochemical Laboratory, PWD Hydrology Division, Circuit House Road, Mannapuram, Trichy-620020 Tamilnadu State Ground and Surface Water Resources Data Centre, Cennai, Tamilnadu	Sh.A.R.Rahman Asstt.Director (Geo-chemistry)	Physical chemical and microbiological parameters

1	Water Division, Compound, adurai-625002 and Surface ources Data	Sh.P.Kadirvelu Asstt.Director (Geo-Chemistry)	Physical chemical and microbiological parameters
---	---	---	--

The Environmental Laboratories and the Govt. Analyst so mentioned shall remain valid for a period of five years from the date of issue of Notification.

[Legal/42(3)/87] D. K. BISWAS, Chairman

#### Foot Note:

The principal notification was published in the Gazette of India vide SO NO. 728(E), dated 21.7.1987 and subsequently amended vide:-

(I)SO 838(E), dated 23.9.87 (2) SO 989(E) dated 17.11.87 (3) SO 489(E) dated 17.5.88 (4) SO 156 (E) dated 24.2.89 (5) SO 846(E) dated 21.10.89 (6) SO 375(E) dated 26.4.1990 (7) SO 803(E) dated 23.9.92 (8) SO 97(E) dated 5.12.1994 (9) SO 418(E) dated 31.3.1996 (10) SO 889 (E) dated 31.8.1996 (11) SO 452 (E) dated 31.5.97 (12) SO 631 (E) dated 31.5.1998 (13) SO (E) 336 dated 1.1.1999(14) SO44(E), dated 15.1.2001.